

Your Personalised Land Rover

DEFENDER

DEFENDER X-DYNAMIC SE Ingenium 3,0 litre 6-cylinder 300PS Turbocharged Petrol (Automatic) All Wheel Drive

DEFENDER



EXTERIOR



EXTERIOR FEATURES

Colours	Fuji White
Colour Finish	Gloss finish
Roof Colour	Black contrast roof
Bonnet Type	Body-coloured bonnet
Glass	Clear glass
Wheels	20" Style 5094, Satin Dark Grey wheels
Tyres	All-Terrain Tyres
Spare Wheel Covers	Body-coloured Spare Wheel Cover

INTERIOR



INTERIOR FEATURES

Seat Configuration

8 seats

Trim

Ebony Resist seats with Ebony interior

Finishers

Ebony finisher

Cross car beam

Cross car beam in Light Cloud Powder Coat finish

Interior upgrades

Standard interior

Headlining

Ebony Morzine headlining

OPTIONS

ROOF TYPE

Sliding panoramic roof

A full-size sliding panoramic tinted glass roof, designed to provide abundant light and space, plus high solar protection. An electric sunblind extends for extra shade or privacy.

ROOF RAILS

Black roof rails

Roof rails facilitate easy fitment of cross bars for roof carrying. Pre-set positioning points ensure cross bars are fixed in optimum position for weight distribution and dynamics.

Maximum payload is 100kg. Maximum payload equals the load capacity of the roof mounted accessory.

Objects placed above the roof mounted satellite antenna may reduce the quality of the signal received by the vehicle and could have a detrimental effect on the navigation and satellite radio systems, if fitted.

EXTERIOR LIGHTING

LED headlights with signature DRL

Premium LED headlights feature the distinct exterior graphic of the Signature Daytime Running Lights (DRL).

SIGNATURE GRAPHIC

Signature graphic

Defender's signature graphic demonstrating its strength and proportions.

EXTERIOR FEATURES

Auto High Beam Assist (AHBA)

The high beam automatically dips when oncoming traffic is detected. Full height is restored when vehicles have passed.

HEADLIGHT WASH

Non-Heated Power Wash

-

WINDSCREEN

Non-Heated windscreen

-

CONSOLE CONFIGURATION

Front centre console refrigerator compartment

Defender's seat configuration options include a centre console with refrigerator compartment, so you can chill drinks on any journey.

SEATING FUNCTIONALITY

12-way electric memory front seats with 2-way manual headrests

Includes driver's/passenger powered adjustment of:

- Cushion forward/backward
- Cushion height
- Cushion tilt
- Power squab recline
- 4-way lumbar

Driver & Passenger seat memory + exterior mirrors with memory

REAR SEAT OPTIONS

60:40 load through rear seats with manual slide and recline and centre armrest

-

THIRD ROW SEATS

40:20:40 folding third row seats

-

STEERING WHEEL

Standard non-leather steering wheel

Feel the comfort at every turn with this non-leather steering wheel finish.

HEATED STEERING

Non-Heated Steering Wheel

-

GEARSHIFT

Resist gearshift

The ideal finishing touch to our Resist and Resolve, Resist, and Ultrafabrics™ trims, finished in non-leather PVU soft-grain material.

DISPLAY

Without Head-up Display

-

Interactive Driver Display

The 12,3" high-definition Interactive Driver Display can receive and project a vast amount of driving information, entertainment and active safety data including navigation, phone and media. Its high resolution ensures the utmost clarity and its refined processing engine delivers smooth moving pin-sharp graphics.

SUSPENSION

Electronic Air Suspension

A comfortable and capable drive is ensured by electronic air suspension. Choose from an access height of 40mm below normal ride height, to an extended height of up to 75mm. For extreme off-road conditions, a further extended ride height of 70mm is available. Even across unsteady surfaces, it provides exceptional wheel articulation and poise.

SPARE WHEELS

20" full size spare wheel

Full size spare wheel with vehicle jack, wheel brace and toolkit stored under loadspace floor.

DRIVER ASSISTANCE

Driver Condition Monitor

Stay sharp. Stay safe. The Driver Condition Monitor keeps you alert, detecting fatigue and advising when to take a break.

LOADSPACE

Flat Loadspace Floor Tray

-

Standard features

EXTERIOR FEATURES

Gloss Black Grille Bar	Graphite Atlas Matte Lettering	Satin Carpathian Grey front and rear skid pan
Body-coloured bonnet	Black exposed rear recovery eyes	Heated, electric, power fold door mirrors with approach lights and auto-dimming driver side
Third Row fixed panoramic roof	Electric Parking Brake (EPB)	Brake pad wear indicator
Emergency Brake Assist	Anti-lock Braking System (ABS)	Electronic Brake-force Distribution (EBD)
Electric windows with one-touch open/close and anti-trap	Heated rear window with timer	Rear wash wiper
Side-hinged tailgate	Standard tail door	

EXTERIOR LIGHTING

Automatic headlights and rain sensing wipers	Automatic Headlight Levelling	Front fog lights
Puddle lights	Follow me home lighting	Centre high-mounted stop light
Darkened tail lights	Rear fog light(s)	

INTERIOR FEATURES

Manually adjustable steering column	Twin front cupholders	Sunvisors with illuminated vanity mirrors
Air Quality Sensor	Cabin Air Purification Plus	Three-zone Climate Control with Rear Heating and Cooling Assist
Footwell lights	Standard treadplates	Configurable Cabin Lighting

INTERIOR FEATURES

Glovebox storage

Rear centre headrest

Rear reading lights

Durable rubber cabin flooring

Carpet mats

Hook(s) in loadspace

Loadspace cover

Loadspace partition net

INFOTAINMENT

13.1" Touchscreen

Android Auto™ (subject to availability)

Apple CarPlay® (subject to availability)

Pivi Pro (Connected)

Meridian™ Sound System

AM/FM radio

12V power socket in loadspace

CONVENIENCE

Auto-dimming interior rear view mirror

Remote

Wireless device charging

Keyless Entry

TOWING

Trailer Stability Assist (TSA)

SAFETY AND SECURITY

Perimetric alarm	Tyre Pressure Monitoring System (TPMS)	Customer Configurable Autolock
Power operated child locks	Seat belt reminder	Rear ISOFIX
Push Button Start	Front airbags, with passenger seat occupant detector	

TRANSMISSION AND DYNAMICS

Adaptive Dynamics	Terrain Response	All Wheel Drive (AWD)
Twin-speed transfer box (high/low range)	8-speed Automatic Transmission	Hill Launch Assist
Electric Power Assisted Steering (EPAS)	Dynamic Stability Control (DSC)	Low traction launch
Electronic Traction Control (ETC)	Roll Stability Control (RSC)	Cornering Brake Control (CBC)
Hill Descent Control (HDC)	Brake Hold	

DRIVER ASSISTANCE

3D Surround Camera	360° Parking Aid	Adaptive Cruise Control
Lane Keep Assist	Blind Spot Assist	Rear Collision Monitor
Rear Traffic Monitor	Emergency Braking	

Technical specifications

PERFORMANCE

Maximum speed km/h (mph)	191 (119)‡
Acceleration (secs) 0-100 km/h (0-60mph)	8,0 (7,5)

FUEL ECONOMY

Combined WLTP Consumption - l/100km (mpg)	-
Combined WLTP CO ₂ Emissions - g/km	-
Tank capacity (litres approx.)	90

POWERTRAIN

Capacity (cc)	2.996
Maximum power (PS/kW/rpm)	300 / 221 / 4.800 - 6.600
Maximum torque (Nm/rpm)	470 / 1.500 - 4.250
Transmission	Automatic

WEIGHTS

Unladen weight (EU) (kg)	2.586 (5 seats) / 2.655 (7 seats) / 2.625 (8 seats) Δ
Unladen weight (DIN) (kg)	2.511 (5 seats) / 2.580 (7 seats) / 2.550 (8 seats) \blacktriangle
Gross Vehicle Weight (GVW) (kg)	3.380

TOWING

Unbraked trailer (kg)	750
Maximum towing (kg)	3.000
Maximum coupling point (nose weight) (kg)	120
Maximum vehicle and trailer combination (GTW) (kg)	6.380

ROOF CARRYING

Maximum roof load (including cross bars) (kg)	100 (All-season tyres) / 168 (All-Terrain Tyres) \diamond
---	---

DIMENSIONS

Height (mm)	1.970
Length (mm)	5.099 (Without spare wheel) 5.358 (With spare wheel)
Width with mirrors folded (mm)	2.008
Width with mirrors out (mm)	2.105
Front wheel track (mm)	1.707 (Air suspension)
Rear wheel track (mm)	1.702 (Air suspension)
Wheelbase (mm)	3.022

HEADROOM

Maximum first row / second row / third row headroom with standard roof (mm) -

Maximum first row / second row / third row headroom with panoramic/fabric roof (mm) 1.032 / 1.027 / NA (5 seats) / 1.032 / 995 / 990 (7 seats) / 1.032 / 1.027 / 990 (8 seats)

LEGROOM

Maximum first row / second row / third row legroom (mm) 993 / 975 / NA (5 seats) / 993 / 984 / 865 (7 seats) / 993 / 975 / 804 (8 seats)

LOADSPACE CAPACITY

Height (mm) 905

Width (mm) 1.254

Width between arches (mm) 1.149

Length behind first row (mm) 2.111 (5 seats) / 2.064 (7 seats) / 2.072 (8 seats)

Maximum loadspace volume behind first row - Dry (litres) 2.078 (5 seats) / 1.864 (7 seats) / 1.876 (8 seats)⚡

Maximum loadspace volume behind first row - Wet (litres) 2.516 (5 seats) / 2.223 (7 seats) / 2.291 (8 seats)⚡

Length behind second row (mm) 1.267 (5 seats) / 1.206 (7 seats) 1.200 (8 seats)

Maximum loadspace volume behind second row - Dry (litres) 1.094 (5 seats) / 1.012 (7 seats) / 1.015 (8 seats)⚡

LOADSPACE CAPACITY

Maximum loadspace volume behind second row - Wet (litres) 1.329 (5 seats) / 1.226 (7 seats) / 1.232 (8 seats)⚡

Length behind third row (mm) N/A (5 seats) / 398 (7 seats) / 398 (8 seats)

Maximum loadspace volume behind third row - Dry (litres) N/A (5 seats) / 290 (7 seats) / 290 (8 seats)⚡

Maximum loadspace volume behind third row - Wet (litres) N/A (5 seats) / 389 (7 seats) / 389 (8 seats)⚡

GROUND CLEARANCE - STANDARD

Ride height (mm) 218,5 (Air suspension)

Approach Angle 30,1° (Air suspension)

Departure Angle 24,5° (Air suspension)

Ramp Angle 22,0° (Air suspension)

GROUND CLEARANCE - OFF ROAD

Ride height (mm) 293 (Air suspension)

Approach Angle 37,5° (Air suspension) ▾

Departure Angle 28,8° (Air suspension) ▾

Ramp Angle 27,9° (Air suspension)

Technical specifications

WADING DEPTH

Maximum wading depth (mm)	900
---------------------------	-----

TURNING CIRCLE

Kerb-to-kerb (m)	12,84
------------------	-------

Wall-to-wall (m)	13,1
------------------	------

Turns lock-to-lock (no. of turns)	2,7
-----------------------------------	-----

YOUR CONFIGURATION

https://buildyour.landrover.com/lr/en_xi/l663_k26/4cuix/a-130_a-p300-130_a-xdyn-se/ipr/reserve

5/18/26, 8:08 AM



*Plug In Hybrid models are only available with 5 seats, due to battery geometry in loadspace.

**Market dependent availability.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. PHEV with a fully charged battery. For comparison purposes only. Real world figures may differ. CO2, fuel economy, PHEV eAER, energy consumption and range figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment, accessories fitted, actual route and battery condition. Range figures are based upon production vehicle over a standardised route. V8 P635 figures provided are manufacturer's estimates and will be replaced with the official EU test figures as soon as they are available.

‡Max speed is 209km/h (130mph) when fitted with 22" wheels.

◇Max speed is 191km/h (119mph) when fitted with 20" wheels.

‡‡When combined with electric motor.

△ Includes a 75kg driver, full fluids and 90% fuel.

▲ Includes full fluids and 90% fuel.

◇Dynamic roof load allows for up to 118kg/168kg (90/110 and 130) when fitted with Off-road tyres and Expedition Roof Rack. Static roof load allows for up to 300kg.

◆Behind row 1 figures for Hard Top relates to behind loadspace partition.

◇Dry: Volume as measured with VDA-compliant solid blocks (200mm x 50mm x 100mm). Hard Top models: Includes underfloor stowage, excludes jack and tools.

◆Wet: Volume as measured by simulating the loadspace filled with liquid. Hard Top models: Includes underfloor stowage, excludes jack and tools.

▼ Defender V8 models have no dynamic roof loading capacity. Static roof load allows for up to 300kg.

▽ With towing eye cover removed.

▼ ▼ 100kg (22" Wheels with All Season Tyres) / 168kg (20" Wheels with All-Terrain or Advanced All-Terrain Tyres). Roof load is 0kg when OCTA mode is activated.

Weights stated reflect vehicle standard specification. Accessories and other items fitted after the point of manufacture will affect payload. Ensure Gross Vehicle Weight and Maximum Axle Loads are not exceeded when loading the vehicle with accessories, occupants, fluids and fuels, and payload.

Optional features and their availability may differ by vehicle specification (model and powertrain), or require the installation of other features in order to be fitted. Please contact your local Retailer for more details, or configure your vehicle online.

WLTP certifies the production vehicle with factory-fit options. Post-registration Retailer-fit accessories are not within the WLTP certification process but may impact fuel consumption and CO2 emissions figures achieved.

[COOKIE AND PRIVACY POLICY](#)

[TERMS AND CONDITIONS](#)

[CONTACT US](#)

[SELECT A COUNTRY](#)

[SITE DISCLAIMER](#)

[ACCESSIBILITY STATEMENT](#)

© Jaguar Land Rover Limited 2026: Registered office: Abbey Road, Whitley, Coventry CV3 4LF. Registered in England No: 1672070

Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice. Some features may vary between optional and standard for different model years.

DEFENDER

<https://www.landrover.com/index.html>